FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}			
Program Facility Basic identification inf	Program Facility Basic identification information for a facility site, as reported by an information management system for an environmental program.					
Environmental Information System Abbreviated Name	The abbreviated name that represents the name of an information management system for an environmental program.	A(20)	'CERCLIS'			
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	CER_SITE.SITE_EPA_ID			
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	CER_SITE.SITE_NAME			
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)	CER_SITE.SITE_STRT_ADRS1			
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)	CER_SITE.SITE_STRT_ADRS2			
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for USPS mail delivery.	A(60)	CER_SITE.SITE_CITY_NAME			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	CER_SITE. RSTATE_CODE CER_SITE.SITE_CNTY_CODE {convert RSTATE_CODE to FIPS Code}
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	CER_SITE.SITE_CNTY_NAME
State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	CER_SITE.RSTATE_CODE
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	CER_REF_STATE. RSTATE_NAME {where CER_SITE.RSTATE_CODE = CER_REF_STATE.RSTATE_CODE}
Country Name	The name that represents a primary geopolitical unit of the world. Default: USA	A(44)	'USA'
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	CER_SITE.SITE_ZIP_CODE
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the Federal Government. Allowable Values: Value Meaning Y Yes, the facility is the property of the Federal Government. No, the facility is not the property of the Federal Government	A(1)	For NPL sites {CER_SITE.RNPL_ STATUS_CODE in ('P', 'F', 'D')} 'Y' (If RFED_FCLTY_CODE = 'Y') 'N' (If RFED_FCLTY_CODE = 'N') Else Null
Federal Agency Code	The Federal Agency/Bureau code. The five character code consists of a letter followed by four numbers. There are four possible letters that can occupy the first character position: 'C' for Civilian Federal Agency; 'D' for Department of Defense; 'E' for Department of Energy; 'X' for Unknown. The second and third characters represent the agency code, while the fourth and fifth characters represent the bureau code.	A(5)	
Tri bal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land.	A(1)	
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Congressional District Number	The number that represents a Congressional District for a state within the United States.	A(2)	CER_SITE. SITE_CNGRSNL_DSTRCT_CODE {first 2 characters}
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	
Hydrologic Cataloging Unit (HUC) Code	The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	
EPA Region Code	The code that represents an EPA region.	A(2)	CER_SITE.RREGION_CODE

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Airshed Code	An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution.	A(5)	
Census Block Code	The smallest entity for which the Census Bureau collects and tabulates decennial census information; bounded on all sides by visible and nonvisible features shown on Census Bureau maps.	A(15)	
Facility Site Type Name	The descriptive name for the type of site the facility occupies. Allowable Values: Stationary Contaminated Site Mobile Contamination Addressed Monitoring Station Potentially Contaminated Site Water System	A(40)	'CONTAMINATED SITE' {If CER_SITE.RNPL_STATUS_CODE in ('A', 'F', 'P') 'POTENTIALLY CONTAMINATED SITE' {If CER_SITE.RNPL_STATUS_CODE in ('N', 'R','W') 'CONTAMINATION ADDRESSED' {If CER_SITE.RNPL_STATUS_CODE = 'D'}
Small Business Indicator	Code indicating whether or not a business is requesting relief under EPA's Small Business Policy, which applies to businesses having less than 100 employees.	A(1)	
Environmental Justice Code	The code that identifies the type of environmental justice concern affecting the facility or enforcement action.	A(3)	
Parent Facility Registry Identifier	The unique identification number, assigned by the EPA Facility Registry System, to the parent facility site (e.g., the SDWIS water system).	A(12)	
Source of Data	The source of the associated program facility data.	A(25)	'CERCLIS'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}			
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date				
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'			
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'			
	Environmental Interest The environmental permits and regulatory programs that apply to the facility site.					
Environmental Interest Type	The environmental permit or regulatory program that applies to the facility site. Allowable Values: (examples) Value Meaning SUPERFUND NPL Superfund National Priority List (NPL) Site SUPERFUND Superfund Site	A(60)	'SUPERFUND NPL' If CER_SITE.NPL_STAT_CODE in ('P', 'F', 'D') Else, 'SUPERFUND'			
Federal/State Source Indicator	A flag which indicates whether the environmental interest data was provided by a federal or state environmental information system. Allowable Values: 'F' or 'S'	A(1)	'F'			
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	{earliest} CER_ACTION. ACT_ACTL_CMPLTN_DATE where RAT_CODE = 'DS'			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Environmental Interest Start Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date. Allowable Values: (examples) First Reporting Year Earliest Inspection Date First Report Received Date Operations Start Date First Report Postmark Date Monitoring Start Date Original Permit Issue Date	A(50)	'DISCOVERY DATE'
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date. Allowable Values: (examples) Facility Inactive Date Year Reporting Stopped Permit Expiration Date Reissued as General Permit Date Operations End Date De-registration Effective Date Final Cleanup Date	A(50)	
Source of Data	The source of the associated environmental interest data.	A(25)	'CERCLIS'
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'
Alternative Name An alternative, historic	e or program-specific name for the facility site.		

6

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}		
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	CER_SITE_ALIAS.SA_NAME		
Alternative Name Type	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local).	A(25)	'ALIAS NAME'		
Source of Data	The source of the associated alternative name data.	A(25)	'CERCLIS'		
Last Reported Date	The most recent date the corresponding alternative name data was reported to the Source of Data.	Date			
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'		
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'		
An alternative identifie	Alternative Identification An alternative identifier for the facility site, as maintained by an information management system for an environmental program. {Remarks: No alternative ID data}				
Alternative Identifier Type	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(30)			
Alternative Identifier	An alternative identification number maintained by an information management system for an environmental program.	A(30)			
Source of Data	The source of the associated alternative identification data.	A(25)			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Last Reported Date	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	
including the associate	linates set of points, defined by latitude and longitude coordinates used to locate a d method, accuracy, and description data. c Coordinate data taken from a separate file, "Irtimport.txt", which represe	•	•
Latitude Measure	The measure of the angular distance on a meridian north or south of the equator.	A(6) - A(10) DD.dddddd	
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	A(7) - A(11) DDD.dddddd	
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	A(6) in meters	
Geometric Type (Text	ual Data or Code Data acceptable)		
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)	
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)	
Horizontal Collection	Method (Textual Data or Code Data acceptable)		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)	
Horizontal Reference	Datum (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)	
Reference Point (Textu	nal Data or Code Data acceptable)		
Code	The code that represents the place for which geographic coordinates were established.	A(3)	
Text	The text that identifies the place for which geographic coordinates were established.	A(60)	
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.	A(10)	
Data Collection Date	The calendar data when data were collected.	Date (YYYYMMD D)	
Coordinate Data Source	e (Textual Data or Code Data acceptable)	<u> </u>	<u> </u>

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Code	The code that represents the party responsible for providing the latitude and longitude coordinates.	A(3)	
Name	The name of the party responsible for providing the latitude and longitude coordinates.	A(35)	
Location Comments Text	The text that provides additional information about the geographic coordinates.	A(150)	
Vertical Measure	The measure of elevation (i.e., the altitude), in meters, above or below a reference datum.	A(10) in meters	
Vertical Collection Me	ethod (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(3)	
Text	The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(60)	
Vertical Reference Date	tum (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used to determine the vertical measure (i.e., the altitude).	A(3)	
Name	The name of the reference datum used to determine the vertical measure (i.e., the altitude).	A(17)	
Vertical Accuracy Measure	The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point.	A(8) in meters	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}			
Sub-Entity Identification Number	The identification number for an operable unit or sub-unit of a facility site.	A(30)				
Sub-Entity Type Name	The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(4)				
Source of Data	The source of the associated geographic coordinates data.	A(25)				
Last Reported Date	The most recent date the corresponding geographic coordinates data was reported to the Source of Data.	Date				
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)				
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)				
A company, governme	Organization Affiliate A company, government body, or other type of organization that has some responsibility or role at the facility site. {Remarks: No Organization Data}					
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Owner/Operator Responsible Party Operator Parent Company Owner	A (40)				
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date				
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date				

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	
Organization Type	The type of organization (e.g., federal, state, private). Allowable Values (examples): Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other	A(10)	
Company Division Name	The name of a division or a department of a company.	A(50)	
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Ultimate Parent Name	The legal, formal name of the ultimate parent company of the organization affiliated with the facility site.	A(50)	
Ultimate Parent DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site	A(9)	
Source of Data	The source of the associated organization data.	A(25)	
Last Reported Date	The most recent date the corresponding organization interest data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	
Individual Affiliat An individual person v {Community Involvem	are listed at the e	end of this table.}	
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Regulatory Contact Cognizant Official Public Contact Responsible Party Technical Contact Emergency Contact	A (40)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION FORMAT		CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Individual Full Name	The complete name of a person, including first name, middle name or initial, and sumame	A(70)	
Individual Title Text	The title held by a person in an organization.	A(40)	
Company Division Name	The name of a division or a department of a company.	A(50)	
Source of Data	The source of the associated individual data.	A(25)	
Last Reported Date	The most recent date the corresponding individual data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	
Mailing Address The standard address u {No mailing address da	sed to send mail to a facility site.		
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site.	A (40)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the U.S. Postal Service.	A(50)	
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	
Mailing Address State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. Default: United States	A(44)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}			
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)			
Source of Data	The source of the associated mailing address data.	A(25)			
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date			
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)			
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)			
Standard Industrial Classification Definition: The Standard Industrial Classification (SIC), or type of business activity, occurring at the facility site. {Remarks: No SIC data.}					
Standard Industrial Classification (SIC) Code	The code that represents the economic activity of a company (4-digits).	A(4)			

FRS DATA ELEMENT NAME		FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. **Allowable Values:** Value Meaning Primary The SIC Code represents the primary activity occurring at the facility site. Secondary The SIC Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.		A(10)	
Source of Data	The source of	the associated SIC data.	A(25)	
Last Reported Date	The most reco	ent date the corresponding SIC data was reported to the a.	Date	
Sensitive Indicator	Indicates whe	ther or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whe the internet.	ther or not the associated data is accessible by the public on	A(1)	
North American Industry Classification The North American Industry Classification System (NAICS) code, or type of industrial activity, occurring at the facility site. {Remarks: No NAICS data.}				
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).		A(6)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS (TABLE NAME.COLUMN NAME {COMMENTS}
NAICS Primary Indicator	The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The NAICS Code represents the primary activity occurring at the facility site. Secondary The NAICS Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	
Source of Data	The source of the associated NAICS data.	A(25)	
Last Reported Date	The most recent date the corresponding NAICS data was reported to the Source of Data.	Date	

INDIVIDUAL AFFILIATE {AFFILIATION TYPE = COMMUNITY INVOLVEMENT COORDINATOR}					
NAME	REGION	Address	PHONE NUMBER	EMAIL ADDRESS	
Robert Cianciarulo	1	1 Congress Street, Suite 1100 Boston, MA 02114-2023	617-918-1330	cianciarulo.bob@epa.gov	

INDIVIDUAL AFFILIATE {AFFILIATION TYPE = COMMUNITY INVOLVEMENT COORDINATOR}				
NAME	REGION	Address	PHONE NUMBER	EMAIL ADDRESS
Courtney Mcenery	2	290 Broadway New York, NY 10007-1866	212-637-4295	mcenery.courtney@epa.gov
Bob Braster	3	1650 Arch Street Philadelphia, PA 19103-2029	215-814-3148	braster.bob@epa.gov
Angela Leach	4	61 Forsyth Street, S.W. Atlanta, GA 30303-8960	404-562-8561	leach.angela@epa.gov
Teresa R. Jones	5	77 West Jackson Boulevard Chicago, IL 60604-3507	312-886-0725	jones.teresa@epa.gov
Janet R. Samuel	5	77 West Jackson Boulevard Chicago, IL 60604-3507	312-353-8069	samuel.janet@epa.gov
Beverly Negri	6	1445 Ross Avenue Dallas, TX 75202-2733	214-665-8157	negri.beverly@epa.gov
Jude Roach	7	901 North Fifth Street Kansas City, KS 66101	913-551-7672	roach.jude@epa.gov
Dianna Lim	8	999 18th Street Denver, CO 80202-2466	303-312-7830	lim.dianna@epa.gov
Eugene Rainwater	9	75 Hawthome Street San Francisco, CA 94105	415-972-3217	rainwater.eugene@epa.gov
Lynne Kershner	10	1200 Sixth Avenue Seattle, WA 98101	206-553-6518	kershner.lynne@epa.gov